








Running mini letters LEDstream

LEDstream - world's best small-sized bright display-mini moving sign board and with easy file upload from any device with IR-port (PC, Palm, or mobile phone).



Maximum information in minimal format

 <p>LEDstream</p>	 <p>LedStream in stock pack. Such packing is especially designed for distribution in P.O.S. Gadget can easily connected to power without unpacking.</p>	 <p>Optimal set of LEDstream accessories: Power adopter, car adopter, extension cable, three types of mountings</p>	 <p>LEDstream Power adopter</p>  <p>car adopter</p>  <p>extension cable</p>	 <p>Three types of mountings – magnetic tape, clear double sided scotch – tape, clear «pocket» with glue covered base</p>
<p>Advantages</p>	<ul style="list-style-type: none"> • Simple information upload • High quality information display • Wide range of use • Reliable and durable (lifetime of red LEDs is about 100 000 hours (approx 11 years of work) blue LEDs- 50000 hours) 			

	<ul style="list-style-type: none"> • Attractive packing • Optimal set of accessories • Compact and simple device • Able to function in any position, including upside down and vice versa, able to shift text speed • Most popular colors • Various modifications (flexible displays, badges, belt buckles etc.) • Simple in use • Low weight • Graphic effects (inbuilt library of effects) • Low functional expenses • Energy -saving (low power consumption, average – 2W, max -5 W) • Easy to transport • Modern body design
Technical data	<ul style="list-style-type: none"> • LED emission half brightness angle - 120 degrees • Emission brightness – 200 KL/ m2 • LedStream management through IR-port of a cellular, a palm or a PC • max memory stored symbols - 512 (512 b) • max. number of symbols on display – 13 • number of visual effects - 9 • Supply voltage – 5 W
Package contents	<p>includes:</p> <ul style="list-style-type: none"> • Power adopter 220 V, 5 W • Extension cable (4 meters) • Car adopter 12-24 V • Three types of mountings – magnetic tape, clear double sided scotch – tape 3M, clear «pocket» with glue covered base • Colorful bilingual instructions manual with a detailed step-by-step description of features and list of commands.
Size, mm	205x21x12
Colors	red, yellow-green, blue, white

LED badge LEDbadge

LED badges –world’s best mini LED badges with bright streaming line, manageable through IR-port of a cellular, a palm or a PC

	
LEDbadge	Optimal set of LEDbadge kit: 2 batteries, two mounting types, instructions manual, blister pack
Advantages	<ul style="list-style-type: none"> • High quakity information display • Wide range of use • Portable (business-card size) • Easy text upload (through any IR-port device) • optimal set of accessories • Ultra bright. Brightness control for different lightning conditions • Easy fixation onto different surfaces, clothes elements, headwear • Energy-saving, low power consumption
Technical data	<ul style="list-style-type: none"> • Emission type: LEDs with half brightness angle - 120 degrees • Emission brightness – 320 KL/ m2 • LedStream management through IR-port of a cellular, a palm or a PC • max memory stored symbols - 512 (512 b) • max. number of symbols on display – 5 • number of visual effects - 9 • Supply voltage – 6 W
Package contents	Includes: Two CR2032 batteries , two mounting types - Belt clip for fixation on pocket etc., neck strap, colorful bilingual instructions manual with a detailed step-by-step description of features and list of commands.
Size, mm	90x50x5
Colors	red, green, amber, blue, white



mail@medialed.com
www.medialed.com